

Izmjena postupka

OSNOVNI PODACI

Opis predmeta javne nabavke:

Orema za OTT

Vrsta predmeta:

Robe

Vrsta postupka:

Otvoreni postupak

PODACI O NARUČIOCU

Naziv:

RADIO I TELEVIZIJA CRNE GORE

PIB:

02020220

Uslovi prije izmjena

Opis	Tip uslova
<p>U postupku javne nabavke može da učestvuje samo privredni subjekat koji: 1) nije pravosnažno osuđivan i čiji izvršni direktor nije pravosnažno osuđivan za neko od krivičnih djela sa obilježjima: a) kriminalnog udruživanja; b) stvaranja kriminalne organizacije; c) davanje mita; č) primanje mita; ć) davanje mita u privrednom poslovanju; d) primanje mita u privrednom poslovanju; dž) utaja poreza i doprinosa; đ) prevare; e) terorizma; f) finansiranja terorizma; g) terorističkog udruživanja; h) učestovanja u stranim oružanim formacijama; i) pranja novca; j) trgovine ljudima; k) trgovine maloljetnim licima radi usvojenja; l) zasnivanja ropskog odnosa i prevoza lica u ropskom odnosu što se dokazuje na osnovu uvjerenja ili potvrde nadležnog organa izdatog na osnovu kaznene evidencije, u skladu sa propisima države u kojoj privredni subjekat ima sjedište, odnosno u kojoj ovlašćeno lice tog privrednog subjekta ima prebivalište.</p>	Obavezni uslovi
<p>U postupku javne nabavke može da učestvuje samo privredni subjekat koji je izmirio sve dospjele obaveze po osnovu poreza i doprinosa za penzijsko i zdravstveno osiguranje što se dokazuje na osnovu uvjerenja ili potvrde organa uprave nadležnog za poslove naplate poreza, odnosno nadležnog organa države u kojoj privredni subjekat ima sjedište.</p>	Obavezni uslovi
<p>U postupku javne nabavke može da učestvuje samo privredni subjekat koji je upisan u Centralni registar privrednih subjekata ili drugi odgovarajući registar u državi u kojoj privredni subjekat ima sjedište što se dokazuje dostavljanjem dokaza o registraciji u Centralnom registru privrednih subjekata ili drugom odgovarajućem registru, sa podacima o ovlašćenom licu privrednog subjekta.</p>	Uslovi za obavljanje djelatnosti
<p>Izjava privrednog subjekta.</p>	ESPD
<p>Rok važenja ponude je 60 dana od dana otvaranja ponuda.</p>	Rok važenja ponude

<p>Ponuđač je dužan dostaviti bezuslovnu i na prvi poziv naplativu garanciju ponude u iznosu od 2 % procijenjene vrijednosti javne nabavke, kao garanciju ostajanja u obavezi prema ponudi u periodu važenja ponude i 8 dana nakon isteka važenja ponude. Garancija ponude će se aktivirati ako ponuđač: 1) odustane od ponude u roku važenja ponude; 2) ne dostavi zahtijevane dokaze prije potpisivanja ugovora; 3) odbije da potpiše ugovor o javnoj nabavci ili okvirni sporazum; ili 4) u izjavi privrednog subjekta navede netačne činjenice o ispunjenosti uslova iz člana 111 stav 4 Zakona o javnim nabavkama.</p>	<p>Garancija ponude</p>
<p>Rok izvršenja ugovora/iskoruke opreme je najviše do 90 dana od dana zaključenja ugovora.</p>	<p>Rok izvršenja ugovora</p>
<p>Mjesto izvršenja ugovora je RTCG Bulevar revolucije 19, Podgorica.</p>	<p>Mjesto izvršenja ugovora</p>
<p>Rok plaćanja: u periodu do 30 dana nakon isporuke kompletne opreme, i uredno dostavljene fakture.</p>	<p>Rok plaćanja</p>
<p>Način plaćanja: virmanski na žiro račun ponuđača.</p>	<p>Način plaćanja</p>
<p>Garantni period za stavke 1 i 2 iz tehničke specifikacije je 2 godine (24 mjeseca), a za ostale stavke tehničke specifikacije važi garancija proizvođača. Garancija počinje teći od dana potpisivanja Zapisnika o kvantitativno kvalitativnom prijemu robe. Budući da je kriterijum za vrednovanje ponuda precizno navesti garantni period za stavke 1 i 2.</p>	<p>Garantni rok</p>
<p>Ponuđač garantuje potpisanom i ovjerenom Izjavom u slobodnoj formi, na svom memorandumu da je sva ponuđena oprema predmetne nabavke nova, nekorisćena, u originalnoj ambalaži proizvođača i da nema stvarnih i pravnih nedostataka. Ponuđač takođe garantuje za kvalitet isporučene robe i obavezuje se da bez odlaganja, o svom trošku, izvrši zamjenu, ili otkloni svaki kvar koji nije posledica nepravilnog rukovanja Naručioca.</p>	<p>Drugi uslovi</p>

<p>Isporučka robe biće potvrđena Zapisnikom o kvantitativno kvalitativnom prijemu robe kojeg sačinjavaju i potpisuju ovlašćeni predstavnici Naručioca i Dobavljača.</p> <p>Komisija Naručioca je dužna da prilikom primopredaje robe pregleda istu i da svoje primjedbe o vidljivim nedostacima, odmah saopšti Dobavljaču i konstatuje u zapisnik. Ako se prilikom primopredaje zapisnički utvrdi da roba koju je isporučio Naručiocu ima nedostatke, Dobavljač se obavezuje da odmah preuzme aktivnosti kako bi o svom trošku otklonio uočene nedostatke istaknute od strane Naručioca. Nakon otklanjanja nedostataka Dobavljač je dužan da preda opremu na lokaciji Naručioca. Primopredaju robe vrše predstavnici Dobavljača i Naručioca, koji zapisnički konstatuju isporuku robe koja je u skladu sa tehničkom specifikacijom i dostavljenom ponudom.</p>	<p>Primopredaja i puštanje u rad</p>
<p>Ponuđač je dužan da u finansijskom dijelu ponude tačno navede robni znak, tip i proizvođača ponuđene robe. Za sve navedene robne marke znak, patent, tip ili proizvođača ponuđene robe u specifikaciji, važi i/ili "ekvivalentno". Način utvrđivanja ekvivalentnosti: Ponuđači mogu, shodno članu 88 Zakona o javnim nabavkama ponuditi proizvode koji su ekvivalentni proizvodima navedenim u specifikaciji predmeta javne nabavke, uz podnošenje dokaza o ekvivalentnosti, a saglasno Zakonu o tehničkim zahtjevima za proizvode i ocjenjivanju usaglašenosti („Sl.list CG“, br. 53/11 i 33/14) kojim je propisano da se ekvivalentnost proizvoda (istovjetnost tehničkih zahtjeva za proizvode) dokazuje ispravama o usaglašenosti. Ponuđači su dužni dostaviti dokaz - ispravu o usaglašenosti, odnosno deklaraciju proizvođača o usaglašenosti.</p>	<p>Drugi uslovi</p>
<p>Ponuđač je u svojoj ponudi obavezan dostaviti u slobodnoj formi Izjavu ponuđača (izjava mora biti na svom memorandumu, potpisana od strane ovlašćenog lica ponuđača i pečatirana pečatom ponuđača) da ponuđač ima obezbijeđen ovlašćeni servis za stavke 1 i 2 iz tehničke specifikacije sa podacima o ovlašćenom servisu: adresa, kontakt telefon, e-mail, i da se obavezuje da će u garantnom periodu izvršiti sve servisne intervencije, uključujući i zamjenu neispravnog dijela predmetne robe, u roku od najkasnije 10 dana od momenta prijave kvara.</p>	<p>Drugi uslovi</p>

U cijenu su uključeni troškovi ambalaže prikladne za drumski prevoz, troškovi prevoza i osiguranje prilikom transporta, i svi ostali pripadajući troškovi.	Drugi uslovi
Ponuđač snosi troškove naknade korišćenja patenata i odgovoran je za povredu zaštićenih prava intelektualne svojine trećih lica.	Ponuđač snosi troškove naknade korišćenja patenata i odgovoran je za povredu zaštićenih prava intelektualne svojine trećih lica

Uslovi nakon izmjena

Opis	Tip uslova
U postupku javne nabavke može da učestvuje samo privredni subjekat koji: 1) nije pravosnažno osuđivan i čiji izvršni direktor nije pravosnažno osuđivan za neko od krivičnih djela sa obilježjima: a) kriminalnog udruživanja; b) stvaranja kriminalne organizacije; c) davanje mita; č) primanje mita; ć) davanje mita u privrednom poslovanju; d) primanje mita u privrednom poslovanju; dž) utaja poreza i doprinosa; đ) prevare; e) terorizma; f) finansiranja terorizma; g) terorističkog udruživanja; h) učestovanja u stranim oružanim formacijama; i) pranja novca; j) trgovine ljudima; k) trgovine maloljetnim licima radi usvojenja; l) zasnivanja ropskog odnosa i prevoza lica u ropskom odnosu što se dokazuje na osnovu uvjerenja ili potvrde nadležnog organa izdatog na osnovu kaznene evidencije, u skladu sa propisima države u kojoj privredni subjekat ima sjedište, odnosno u kojoj ovlašćeno lice tog privrednog subjekta ima prebivalište.	Obavezni uslovi
U postupku javne nabavke može da učestvuje samo privredni subjekat koji je izmirio sve dospjele obaveze po osnovu poreza i doprinosa za penzijsko i zdravstveno osiguranje što se dokazuje na osnovu uvjerenja ili potvrde organa uprave nadležnog za poslove naplate poreza, odnosno nadležnog organa države u kojoj privredni subjekat ima sjedište.	Obavezni uslovi

U postupku javne nabavke može da učestvuje samo privredni subjekat koji je upisan u Centralni registar privrednih subjekata ili drugi odgovarajući registar u državi u kojoj privredni subjekat ima sjedište što se dokazuje dostavljanjem dokaza o registraciji u Centralnom registru privrednih subjekata ili drugom odgovarajućem registru, sa podacima o ovlašćenom licu privrednog subjekta.	Uslovi za obavljanje djelatnosti
Izjava privrednog subjekta.	ESPD
Rok važenja ponude je 60 dana od dana otvaranja ponuda.	Rok važenja ponude
Ponuđač je dužan dostaviti безусловnu i na prvi poziv naplativu garanciju ponude u iznosu od 2 % procijenjene vrijednosti javne nabavke, kao garanciju ostajanja u obavezi prema ponudi u periodu važenja ponude i 8 dana nakon isteka važenja ponude. Garancija ponude će se aktivirati ako ponuđač: 1) odustane od ponude u roku važenja ponude; 2) ne dostavi zahtijevane dokaze prije potpisivanja ugovora; 3) odbije da potpiše ugovor o javnoj nabavci ili okvirni sporazum; ili 4) u izjavi privrednog subjekta navede netačne činjenice o ispunjenosti uslova iz člana 111 stav 4 Zakona o javnim nabavkama.	Garancija ponude
Rok izvršenja ugovora/iskoruke opreme je najviše do 90 dana od dana zaključenja ugovora.	Rok izvršenja ugovora
Mjesto izvršenja ugovora je RTCG Bulevar revolucije 19, Podgorica.	Mjesto izvršenja ugovora
Rok plaćanja: u periodu do 30 dana nakon isporuke kompletne opreme, i uredno dostavljene fakture.	Rok plaćanja
Način plaćanja: virmanski na žiro račun ponuđača.	Način plaćanja
Garantni period za stavke 1 i 2 iz tehničke specifikacije je 2 godine (24 mjeseca), a za ostale stavke tehničke specifikacije važi garancija proizvođača. Garancija počinje teći od dana potpisivanja Zapisnika o kvantitativno kvalitativnom prijemu robe. Budući da je kriterijum za vrednovanje ponuda precizno navesti garantni period za stavke 1 i 2.	Garantni rok

<p>Ponuđač garantuje potpisanom i ovjerenom Izjavom u slobodnoj formi, na svom memorandumu da je sva ponuđena oprema predmetne nabavke nova, nekorišćena, u originalnoj ambalaži proizvođača i da nema stvarnih i pravnih nedostataka. Ponuđač takođe garantuje za kvalitet isporučene robe i obavezuje se da bez odlaganja, o svom trošku, izvrši zamjenu, ili otkloni svaki kvar koji nije posledica nepravilnog rukovanja Naručioca.</p>	<p>Drugi uslovi</p>
<p>Isporuka robe biće potvrđena Zapisnikom o kvantitativno kvalitativnom prijemu robe kojeg sačinjavaju i potpisuju ovlašćeni predstavnici Naručioca i Dobavljača. Komisija Naručioca je dužna da prilikom primopredaje robe pregleda istu i da svoje primjedbe o vidljivim nedostacima, odmah saopšti Dobavljaču i konstatuje u zapisnik. Ako se prilikom primopredaje zapisnički utvrdi da roba koju je isporučio Naručiocu ima nedostatke, Dobavljač se obavezuje da odmah preuzme aktivnosti kako bi o svom trošku otklonio uočene nedostatke istaknute od strane Naručioca. Nakon otklanjanja nedostataka Dobavljač je dužan da preda opremu na lokaciji Naručioca. Primopredaju robe vrše predstavnici Dobavljača i Naručioca, koji zapisnički konstatuju isporuku robe koja je u skladu sa tehničkom specifikacijom i dostavljenom ponudom.</p>	<p>Primopredaja i puštanje u rad</p>
<p>Ponuđač je dužan da u finansijskom dijelu ponude tačno navede robni znak, tip i proizvođača ponuđene robe. Za sve navedene robne marke znak, patent, tip ili proizvođača ponuđene robe u specifikaciji, važi i/ili "ekvivalentno". Način utvrđivanja ekvivalentnosti: Ponuđači mogu, shodno članu 88 Zakona o javnim nabavkama ponuditi proizvode koji su ekvivalentni proizvodima navedenim u specifikaciji predmeta javne nabavke, uz podnošenje dokaza o ekvivalentnosti, a saglasno Zakonu o tehničkim zahtjevima za proizvode i ocjenjivanju usaglašenosti („Sl.list CG”, br. 53/11 i 33/14) kojim je propisano da se ekvivalentnost proizvoda (istovjetnost tehničkih zahtjeva za proizvode) dokazuje ispravama o usaglašenosti. Ponuđači su dužni dostaviti dokaz - ispravu o usaglašenosti, odnosno deklaraciju proizvođača o usaglašenosti.</p>	<p>Drugi uslovi</p>

Ponuđač je u svojoj ponudi obavezan dostaviti u slobodnoj formi Izjavu ponuđača (izjava mora biti na svom memorandumu, potpisana od strane ovlaštenog lica ponuđača i pečatirana pečatom ponuđača) da ponuđač ima obezbijeden ovlašćeni servis za stavke 1 i 2 iz tehničke specifikacije sa podacima o ovlaštenom servisu: adresa, kontakt telefon, e-mail, i da se obavezuje da će u garantnom periodu izvršiti sve servisne intervencije, uključujući i zamjenu neispravnog dijela predmetne robe.	Drugi uslovi
U cijenu su uključeni troškovi ambalaže prikladne za drumski prevoz, troškovi prevoza i osiguranje prilikom transporta, i svi ostali pripadajući troškovi.	Drugi uslovi
Ponuđač snosi troškove naknade korišćenja патената i odgovoran je za povredu zaštićenih prava intelektualne svojine trećih lica.	Ponuđač snosi troškove naknade korišćenja патената i odgovoran je za povredu zaštićenih prava intelektualne svojine trećih lica

Kriterijumi prije izmjena

Opis	Očekivani odgovor ponuđača	Metod bodovanja
Cijena	-	-
Ponude po parametru kvalitet vrednovaće se na sljedeći način: - Garantni rok za za stavke 1 i 2 iz tehničke specifikacije (10 bodova). Princip vrednovanja garantnog roka: Garantni rok na isporučenu opremu (stavke 1 i 2) je minimum 24 mjeseca. Broj bodova za parametar - Garantni rok dobija se na način što se ponuđeni garantni rok podijeli sa maksimalnim ponuđenim garantnim rokom i dobijeni količnik pomnoži sa 10.	Dokaz	Relativno

Kriterijumi nakon izmjena

Opis	Očekivani odgovor ponuđača	Metod bodovanja
Cijena	-	-
Ponude po parametru kvalitet vrednovaće se na sljedeći način: - Garantni rok za stavke 1 i 2 iz tehničke specifikacije (10 bodova). Princip vrednovanja garantnog roka: Garantni rok na isporučenu opremu (stavke 1 i 2) je minimum 24 mjeseca. Broj bodova za parametar - Garantni rok dobija se na način što se ponuđeni garantni rok podijeli sa maksimalnim ponuđenim garantnim rokom i dobijeni količnik pomnoži sa 10.	Dokaz	Relativno

Tehnička specifikacija prije izmjena

Procijenjena vrijednost bez PDV	Redni broj predmeta nabavke	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina	Jedinica mjere
---------------------------------	-----------------------------	-----------------------	---------------------------------------	----------	----------------

86800.00	1	ENCODER ZA OTT (4ch encoder)	<p>12G-SDI/3G-SDI I/O supports Multi-Channel HD or UltraHD as standard</p> <p>Bidirectional Encode/Decode/Transcode; NDI, H.265 (HEVC), H.264 (AVC, MPEG-4), H.262 (MPEG-2) and JPEG 2000* (TR-01)</p> <p>Synchronous Multi-Channel / Multi-System Transport for SDI backhaul or Cloud Delivery</p> <p>Protocols; SRT, UDP, HLS, RTP, RTMP/S (output), MPTS (input)</p> <p>Transports; MPEG-TS, NDI, AVC-TS, Fragmented MP4</p> <p>NDI Discovery support</p> <p>Supports NDI Groups</p> <p>Multi bit rate/format distribution, ABR Ladder Profiles for OTT hand-off.</p> <p>Selectable profiles for 10-bit and 8-bit, 4:2:2 and 4:2:0</p> <p>Unmatched Metadata capabilities including MPEG-2 ANC, SMPTE 2038, Ad insertion markers (SCTE-35/SCTE-104), CC/Subtitles (EIA-608/708, Line 21, H.264 SEI)</p> <p>HDR/SDR from SDI source to SDI destination in BRIDGE LIVE end-to-end configurations</p> <p>Remote WebUI or local GUI for easy administration, control, and operation.</p> <p>Monitoring, Control, and Automation supported via REST API or SNMP</p> <p>Turnkey 1RU rack-mountable, enterprise-class form factor</p> <p>Dual 10GbE interface for control and transport</p> <p>Dual power supplies for critical application redundancy</p>	2.00	komad
----------	---	------------------------------	--	------	-------

86800.00	2	NAS STORAGE ZA OTT	<p>Rack based delivering SSD performance with HDD capacities CONFIGURABLE CAPACITIES Capacity: 192TB CONNECTIVITY On Motherboard 2 x USB 3.0 and 2 x USB 2.0 ports 1 x VGA connector 1 x COM port Other 4 x 1Gb Ethernet ports (RJ45) 1 x RJ45 dedicated IPMI LAN port (up to 576TB) 2 x 10Gb Ethernet ports (RJ45) or 10/25Gb (SFP+) Option for additional 1Gb, 10Gb, 25Gb and 40Gb Ethernet ports (RJ45 or SFP+) UNIT SPECIFICATIONS: Bootable replacement OS is provided on Rescue Capsule USB drive for fast system recovery. Unit dimensions: 13.2cm x 47.3cm x 65.0cm (5.1" x 18.6" x 25.5") Unit weight: 34.2kg (75.3lbs) Input range: 100 – 240 VAC, 50-60Hz Power supply: Dual redundant 500W removable PSUs Power requirements standby: 33W Power requirements full load: 350W Operating temperature range: 10°C – 35°C Non-operating range: -40°C – 70°C Operating humidity range: 8 – 90% non-condensing Non-operating humidity range: 5 – 95% non-condensing Unit form factor: 3U rackmount (rack mounts included) Key Features: CORE.4 Lite OS,IDA, RAID 6 Data Protection,Velocity RAID Engine (VRE),Dynamic Expansion,OS Agnostic,Network Loop Protection,Replication,Active Directory,Mosaic,File Manager</p>	1.00	komad
	3	Televizor	55" 4K UHD Digital Flip Chart (Samsung)	1.00	komad

86800.00	4	PC i7	OptiPlex 7000 Mini Tower; 12th Gen Intel Core i7-12700 (25M Cache/12 Cores/20 Threads/2.1GHz to 4.9GHz/65W); Windows 10 Pro (includes license for Windows 11 Pro); Intel graphics card; 32GB 1x32GB DDR5 memory; 512GB M.2 2230 PCIe NVMe SSD Class 35; 500W internal power supply unit (PSU), 92% Efficient, 80 Plus Platinum; Dell Wired Keyboard+Dell mouse //ili ekvivalent	2.00	komad
	5	PC i5 TOWER	OptiPlex 3000 Small Form Factor; 12th Gen Intel Core i5-12500 (6 Cores, 12 Threads, 18MB Cache, 3.0GHz to 4.6GHz, 65W); Windows 10 Pro (includes license for Windows 11 Pro); Intel graphics card; 16GB 1x16GB DDR4 memory; 256GB M.2 2230 PCIe NVMe SSD Class 35; Dell Wired Keyboard+Dell mouse //ili ekvivalent	4.00	komad
	6	HP Pavilion 15	HP Pavilion 15-eg1033nm i5-1155G7 , 8GB , 512GB SSD , 15.6"FHD , Intelliris, NaturalSilver. //ili ekvivalent	1.00	komad
	7	Dell Vostro 5410	Dell Vostro 5410 (NOT20284) 14" FHD i5-11320H 8GB 256GB SSD Intel Iris Xe Backlit FP sivi + odgovarajuća torba. //ili ekvivalent	1.00	komad
	8	MONITOR U QHD	Dell U serija 27" QHD (2560 x 1440),Interfaces:HDMI,DisplayPort - Dell U2722D. //ili ekvivalent	1.00	komad
	9	MONITOR 27	Monitor 27" DELL - S2721HSX; Veličina ekrana: 27" Rezolucija: 1.920 x 1.080 Odnos stranica: 16:9 Nativni kontrast: 1.000:1 Osvetljenje: 300cd/m ² Odziv: 4ms; Vertikalno osvežavanje: 75Hz; 1x DisplayPort 1.2; 1x HDMI 1.4 Audio izlaz: 3.5mm. //ili ekvivalent	5.00	komad
	10	TP LINK TL-SG3428X Switch//ili ekvivalent	TP-LINK TL-SG3428X JetStream 24-Port Gigabit L2+ Managed Switch with 4 10GE SFP+ Slots	1.00	komad
	11	SWITCH 8P	NETGEAR ProSafe 8 Port Gigabit Switch (GS108)//ili ekvivalent	1.00	komad
	12	SWITCH 5P	NETGEAR ProSafe 5 Port Gigabit Switch (GS105)//ili ekvivalent	1.00	komad
	13	NIC	TP-Link TG-3468 PCIe Gigabitna NIC. //ili ekvivalent	1.00	komad
	14	Ručni alat	Garn. ručnog alata u koferu 31/1 AHS. //ili ekvivalent	1.00	komad
	15	Šrafčigeri	Garnitura šrafčigera ravni PH 8/1 Hoegert. //ili ekvivalent	1.00	garnitura

86800.00	16	Slušalice B	Energy System Urban 2 Radio Graphite Slusalice. //ili ekvivalent	1.00	komad
	17	HDD4	Western Digital WD40PURZ Hard disk 4tb //ili ekvivalent	1.00	komad
	18	PORTABLE HDD4	USB 4TB EXTERNI HDD	1.00	komad
	19	SSD DISK	Kingston SKC600/512G SSD disk	1.00	komad
	20	LASERSKI PRINTER	HP LaserJet MFP M236sdn	1.00	komad
	21	Grafička tabla	HUION G930L - Bežična grafička tabla za crtanje sa pametnim mini LCD ekranom i PW517 8192 nivoa pritiska bez baterije olovkom, 13,6 inča Bluetooth digitalna olovka tableta	1.00	komad
	22	ADAPTER USB TO ETHERNET	TP-LINK UE306 USB 3.0 to Gigabit Ethernet Network Adapter //ili ekvivalent	1.00	komad
	23	MIŠ+TASTATURA	MIŠ+TASTATURA LOGITECH MK120. //ili ekvivalent	2.00	komad
	24	Produžni kabl	Rotronic Produzni kabal sa 6 uticnica i osvjetljenim dvopolnim prekidačem 1.5m //ili ekvivalent	2.00	komad
	25	WIFI USB	USB WIRELES kartica	1.00	komad
	26	Grafička	MSI GTX 1650 4GT LP OC; 4GB GDDR5 128-bit; DisplayPort x 1 (v1.4) / HDMI 2.0b x 1 / DL-DVI-D x 1;Low Profile Design	1.00	komad
	27	USB FLASH 128	PATRIOT PEF128GSUSB. //ili ekvivalent	2.00	komad
	28	ZVUČNIK	Trust Remo 2.0 Zvucnik. //ili ekvivalent	3.00	komad

Tehnička specifikacija nakon izmjena

Procijenjena vrijednost bez PDV	Redni broj predmeta nabavke	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina	Jedinica mjere

86800.00	1	ENCODER ZA OTT (4ch encoder)	<p>12G-SDI/3G-SDI I/O supports Multi-Channel HD or UltraHD as standard</p> <p>Bidirectional Encode/Decode/Transcode; NDI, H.265 (HEVC), H.264 (AVC, MPEG-4), H.262 (MPEG-2) and JPEG 2000* (TR-01)</p> <p>Synchronous Multi-Channel / Multi-System Transport for SDI backhaul or Cloud Delivery</p> <p>Protocols; SRT, UDP, HLS, RTP, RTMP/S (output), MPTS (input)</p> <p>Transports; MPEG-TS, NDI, AVC-TS, Fragmented MP4</p> <p>NDI Discovery support</p> <p>Supports NDI Groups</p> <p>Multi bit rate/format distribution, ABR Ladder Profiles for OTT hand-off.</p> <p>Selectable profiles for 10-bit and 8-bit, 4:2:2 and 4:2:0</p> <p>Unmatched Metadata capabilities including MPEG-2 ANC, SMPTE 2038, Ad insertion markers (SCTE-35/SCTE-104), CC/Subtitles (EIA-608/708, Line 21, H.264 SEI)</p> <p>HDR/SDR from SDI source to SDI destination in BRIDGE LIVE end-to-end configurations</p> <p>Remote WebUI or local GUI for easy administration, control, and operation.</p> <p>Monitoring, Control, and Automation supported via REST API or SNMP</p> <p>Turnkey 1RU rack-mountable, enterprise-class form factor</p> <p>Dual 10GbE interface for control and transport</p> <p>Dual power supplies for critical application redundancy</p>	2.00	komad
----------	---	------------------------------	--	------	-------

86800.00	2	NAS STORAGE ZA OTT	<p>Rack based delivering SSD performance with HDD capacities CONFIGURABLE CAPACITIES Capacity: 192TB CONNECTIVITY On Motherboard 2 x USB 3.0 and 2 x USB 2.0 ports 1 x VGA connector 1 x COM port Other 4 x 1Gb Ethernet ports (RJ45) 1 x RJ45 dedicated IPMI LAN port (up to 576TB) 2 x 10Gb Ethernet ports (RJ45) or 10/25Gb (SFP+) Option for additional 1Gb, 10Gb, 25Gb and 40Gb Ethernet ports (RJ45 or SFP+) UNIT SPECIFICATIONS: Bootable replacement OS is provided on Rescue Capsule USB drive for fast system recovery. Unit dimensions: 13.2cm x 47.3cm x 65.0cm (5.1" x 18.6" x 25.5") Unit weight: 34.2kg (75.3lbs) Input range: 100 – 240 VAC, 50-60Hz Power supply: Dual redundant 500W removable PSUs Power requirements standby: 33W Power requirements full load: 350W Operating temperature range: 10°C – 35°C Non-operating range: -40°C – 70°C Operating humidity range: 8 – 90% non-condensing Non-operating humidity range: 5 – 95% non-condensing Unit form factor: 3U rackmount (rack mounts included) Key Features: CORE.4 Lite OS,IDA, RAID 6 Data Protection,Velocity RAID Engine (VRE),Dynamic Expansion,OS Agnostic,Network Loop Protection,Replication,Active Directory,Mosaic,File ManageR</p>	1.00	komad
	3	Televizor	55" 4K UHD Digital Flip Chart (Samsung)	1.00	komad

86800.00	4	PC i7	OptiPlex 7000 Mini Tower; 12th Gen Intel Core i7-12700 (25M Cache/12 Cores/20 Threads/2.1GHz to 4.9GHz/65W); Windows 10 Pro (includes license for Windows 11 Pro); Intel graphics card; 32GB 1x32GB DDR5 memory; 512GB M.2 2230 PCIe NVMe SSD Class 35; 500W internal power supply unit (PSU), 92% Efficient, 80 Plus Platinum; Dell Wired Keyboard+Dell mouse //ili ekvivalent	2.00	komad
	5	PC i5 TOWER	OptiPlex 3000 Small Form Factor; 12th Gen Intel Core i5-12500 (6 Cores, 12 Threads, 18MB Cache, 3.0GHz to 4.6GHz, 65W); Windows 10 Pro (includes license for Windows 11 Pro); Intel graphics card; 16GB 1x16GB DDR4 memory; 256GB M.2 2230 PCIe NVMe SSD Class 35; Dell Wired Keyboard+Dell mouse //ili ekvivalent	4.00	komad
	6	HP Pavilion 15	HP Pavilion 15-eg1033nm i5-1155G7 , 8GB , 512GB SSD , 15.6"FHD , Intellris, NaturalSilver. //ili ekvivalent	1.00	komad
	7	Dell Vostro 5410	Dell Vostro 5410 (NOT20284) 14" FHD i5-11320H 8GB 256GB SSD Intel Iris Xe Backlit FP sivi + odgovarajuća torba. //ili ekvivalent	1.00	komad
	8	MONITOR U QHD	Dell U serija 27" QHD (2560 x 1440),Interfaces:HDML,DisplayPort - Dell U2722D. //ili ekvivalent	1.00	komad
	9	MONITOR 27	Monitor 27" DELL - S2721HSX; Veličina ekrana: 27" Rezolucija: 1.920 x 1.080 Odnos stranica: 16:9 Nativni kontrast: 1.000:1 Osvetljenje: 300cd/m² Odziv: 4ms; Vertikalno osvežavanje: 75Hz; 1x DisplayPort 1.2; 1x HDMI 1.4 Audio izlaz: 3.5mm. //ili ekvivalent	5.00	komad
	10	TP LINK TL-SG3428X Switch//ili ekvivalent	TP-LINK TL-SG3428X JetStream 24-Port Gigabit L2+ Managed Switch with 4 10GE SFP+ Slots	1.00	komad
	11	SWITCH 8P	NETGEAR ProSafe 8 Port Gigabit Switch (GS108)//ili ekvivalent	1.00	komad
	12	SWITCH 5P	NETGEAR ProSafe 5 Port Gigabit Switch (GS105)//ili ekvivalent	1.00	komad
	13	NIC	TP-Link TG-3468 PCIe Gigabitna NIC. //ili ekvivalent	1.00	komad
	14	Ručni alat	Garn. ručnog alata u koferu 31/1 AHS. //ili ekvivalent	1.00	komad
	15	Šrafcižeri	Garnitura šrafcižera ravni PH 8/1 Hoegert. //ili ekvivalent	1.00	garnitura

86800.00	16	Slušalice B	Energy System Urban 2 Radio Graphite Slusalice. //ili ekvivalent	1.00	komad
	17	HDD4	Western Digital WD40PURZ Hard disk 4tb //ili ekvivalent	1.00	komad
	18	PORTABLE HDD4	USB 4TB EXTERNI HDD	1.00	komad
	19	SSD DISK	Kingston SKC600/512G SSD disk	1.00	komad
	20	LASERSKI PRINTER	HP LaserJet MFP M236sdn	1.00	komad
	21	Grafička tabla	HUION G930L - Bežična grafička tabla za crtanje sa pametnim mini LCD ekranom i PW517 8192 nivoa pritiska bez baterije olovkom, 13,6 inča Bluetooth digitalna olovka tableta	1.00	komad
	22	ADAPTER USB TO ETHERNET	TP-LINK UE306 USB 3.0 to Gigabit Ethernet Network Adapter //ili ekvivalent	1.00	komad
	23	MIŠ+TASTATURA	MIŠ+TASTATURA LOGITECH MK120. //ili ekvivalent	2.00	komad
	24	Produžni kabl	Rotronic Produzni kabal sa 6 uticnica i osvjetljenim dvopolnim prekidačem 1.5m //ili ekvivalent	2.00	komad
	25	WIFI USB	USB WIRELES kartica	1.00	komad
	26	Grafička	MSI GTX 1650 4GT LP OC; 4GB GDDR5 128-bit; DisplayPort x 1 (v1.4) / HDMI 2.0b x 1 / DL-DVI-D x 1;Low Profile Design	1.00	komad
	27	USB FLASH 128	PATRIOT PEF128GSBUSB. //ili ekvivalent	2.00	komad
28	ZVUČNIK	Trust Remo 2.0 Zvucnik. //ili ekvivalent	3.00	komad	