

SPECIFIKACIJA ČELIČNE KONSTRUKCIJE - MATEŠEVO

Profil	Klasa	Komada.	Dužina (mm)	Površina (m ²)	Težina (kg)
CFRHS60X60X4	S235JRG2	4	7500	1.7	50.3
CFRHS60X60X4	S235JRG2	2	6610	1.5	44.4
CFRHS60X60X4	S235JRG2	2	6370	1.4	42.7
			55960	12.7	375.5
CFRHS70X70X3	S235JRG2	12	1127	0.3	6.9
CFRHS70X70X3	S235JRG2	4	977	0.3	6.0
CFRHS70X70X3	S235JRG2	2	805	0.2	4.9
CFRHS70X70X3	S235JRG2	2	805	0.2	4.9
			20656	5.6	126.6
CFRHS80X80X3	S235JRG2	10	1954	0.6	13.8
CFRHS80X80X3	S235JRG2	10	1805	0.6	12.8
CFRHS80X80X3	S235JRG2	10	1624	0.5	11.5
CFRHS80X80X3	S235JRG2	10	1479	0.5	10.5
CFRHS80X80X3	S235JRG2	10	1314	0.4	9.3
CFRHS80X80X3	S235JRG2	10	1032	0.3	7.3
CFRHS80X80X3	S235JRG2	6	311	0.1	2.2
CFRHS80X80X3	S235JRG2	6	293	0.1	2.1
CFRHS80X80X3	S235JRG2	4	316	0.1	2.2
CFRHS80X80X3	S235JRG2	4	310	0.1	2.2
CFRHS80X80X3	S235JRG2	4	207	0.1	1.5
CFRHS80X80X3	S235JRG2	4	202	0.1	1.4
CFRHS80X80X3	S235JRG2	4	193	0.1	1.4
CFRHS80X80X3	S235JRG2	4	188	0.1	1.3
CFRHS80X80X3	S235JRG2	4	172	0.1	1.2
CFRHS80X80X3	S235JRG2	4	166	0.1	1.2
CFRHS80X80X3	S235JRG2	4	157	0.0	1.1
CFRHS80X80X3	S235JRG2	2	291	0.1	2.1
CFRHS80X80X3	S235JRG2	2	273	0.1	1.9
CFRHS80X80X3	S235JRG2	2	243	0.1	1.7
CFRHS80X80X3	S235JRG2	2	222	0.1	1.6
CFRHS80X80X3	S235JRG2	4	151	0.0	1.1
			106003	32.8	749.6
CFRHS80X80X4	S235JRG2	4	2192	0.7	20.2
CFRHS80X80X4	S235JRG2	4	2183	0.7	20.1
CFRHS80X80X4	S235JRG2	4	1986	0.6	18.3
CFRHS80X80X4	S235JRG2	4	1896	0.6	17.5

CFRHS80X80X4	S235JRG2	4	1873	0.6	17.3
CFRHS80X80X4	S235JRG2	4	1797	0.6	16.6
CFRHS80X80X4	S235JRG2	4	1656	0.5	15.3
CFRHS80X80X4	S235JRG2	4	1589	0.5	14.6
CFRHS80X80X4	S235JRG2	4	1447	0.4	13.3
CFRHS80X80X4	S235JRG2	4	1380	0.4	12.7
CFRHS80X80X4	S235JRG2	4	1239	0.4	11.4
CFRHS80X80X4	S235JRG2	4	1187	0.4	10.9
CFRHS80X80X4	S235JRG2	4	1171	0.4	10.8
CFRHS80X80X4	S235JRG2	4	1021	0.3	9.4
CFRHS80X80X4	S235JRG2	4	1005	0.3	9.3
CFRHS80X80X4	S235JRG2	4	812	0.2	7.5
CFRHS80X80X4	S235JRG2	4	604	0.2	5.6
CFRHS80X80X4	S235JRG2	4	395	0.1	3.6
CFRHS80X80X4	S235JRG2	1	1930	0.6	17.8
CFRHS80X80X4	S235JRG2	1	1859	0.6	17.1
CFRHS80X80X4	S235JRG2	4	207	0.1	1.9
			106339	32.6	980.7
CFRHS100X100X5	S235JRG2	16	2300	0.9	33.1
CFRHS100X100X5	S235JRG2	12	730	0.3	10.5
CFRHS100X100X5	S235JRG2	10	1170	0.4	16.9
CFRHS100X100X5	S235JRG2	9	5210	2.0	75.1
CFRHS100X100X5	S235JRG2	9	4530	1.7	65.3
CFRHS100X100X5	S235JRG2	8	7630	2.9	109.9
CFRHS100X100X5	S235JRG2	8	2500	1.0	36.0
CFRHS100X100X5	S235JRG2	4	6610	2.5	95.2
CFRHS100X100X5	S235JRG2	4	6370	2.4	91.8
CFRHS100X100X5	S235JRG2	2	5360	2.1	77.2
CFRHS100X100X5	S235JRG2	2	4680	1.8	67.4
CFRHS100X100X5	S235JRG2	2	2165	0.8	31.2
CFRHS100X100X5	S235JRG2	2	2155	0.8	31.0
CFRHS100X100X5	S235JRG2	2	1869	0.7	26.9
CFRHS100X100X5	S235JRG2	2	1849	0.7	26.6
CFRHS100X100X5	S235JRG2	2	1637	0.6	23.6
CFRHS100X100X5	S235JRG2	2	1429	0.5	20.6
CFRHS100X100X5	S235JRG2	2	1220	0.5	17.6
CFRHS100X100X5	S235JRG2	2	1170	0.4	16.9
CFRHS100X100X5	S235JRG2	1	1839	0.7	26.5
CFRHS100X100X5	S235JRG2	36	140	0.1	2.0
			331828	127.0	4781.5
CFRHS120X100X5	S235JRG2	12	6610	2.8	108.7
CFRHS120X100X5	S235JRG2	12	6370	2.7	104.7

			155760	65.9	2560.9
CFRHS180X120X5	S235JRG2	2	15290	8.9	348.1
CFRHS180X120X5	S235JRG2	4	7717	4.5	174.3
CFRHS180X120X5	S235JRG2	4	1614	0.9	33.6
CFRHS180X120X5	S235JRG2	4	1033	0.6	23.3
CFRHS180X120X5	S235JRG2	4	930	0.5	20.0
			75753	44.2	1701.1
HEA300	S235JRG2	6	5935	10.2	524.1
			35610	61.1	3144.8
L100*100*5	S235JRG2	12	1379	0.6	10.6
L100*100*5	S235JRG2	4	2344	0.9	17.9
L100*100*5	S235JRG2	2	2654	1.1	20.3
L100*100*5	S235JRG2	2	2653	1.1	20.3
L100*100*5	S235JRG2	2	2646	1.1	20.2
L100*100*5	S235JRG2	2	2591	1.0	19.8
L100*100*5	S235JRG2	2	2577	1.0	19.7
L100*100*5	S235JRG2	2	2541	1.0	19.4
L100*100*5	S235JRG2	2	2538	1.0	19.4
L100*100*5	S235JRG2	2	2520	1.0	19.3
L100*100*5	S235JRG2	2	2410	1.0	18.4
L100*100*5	S235JRG2	2	2410	1.0	18.4
L100*100*5	S235JRG2	2	2407	1.0	18.4
L100*100*5	S235JRG2	2	2406	1.0	18.4
L100*100*5	S235JRG2	2	2403	1.0	18.4
L100*100*5	S235JRG2	2	2296	0.9	17.6
L100*100*5	S235JRG2	2	2295	0.9	17.6
L100*100*5	S235JRG2	2	2289	0.9	17.5
L100*100*5	S235JRG2	2	2163	0.9	16.6
L100*100*5	S235JRG2	2	2152	0.9	16.5
L100*100*5	S235JRG2	2	1323	0.5	10.1
L100*100*5	S235JRG2	2	1323	0.5	10.1
L100*100*5	S235JRG2	2	1322	0.5	10.1
L100*100*5	S235JRG2	2	1322	0.5	10.1
			124404	49.9	952.2
NUT_M27	S235JRG2	192	22	0.0	0.2
			4224	1.1	47.1
PD54*13	S235JRG2	48	4	0.0	0.1

			192	0.1	2.5
PL3*60	S235JRG2	16	60	0.0	0.1
			960	0.1	1.4
PL3*70	S235JRG2	40	70	0.0	0.1
			2800	0.4	4.6
PL3*100	S235JRG2	8	100	0.0	0.2
			800	0.2	1.9
PL5*90	S235JRG2	24	110	0.0	0.4
			2640	0.5	9.3
PL5*100	S235JRG2	24	120	0.0	0.5
			2880	0.6	11.3
PL5*110	S235JRG2	4	170	0.0	0.7
			680	0.2	2.9
PL5*115	S235JRG2	2	144	0.0	0.6
			288	0.1	1.3
PL5*480	S235JRG2	12	480	0.5	9.0
			5760	5.6	108.5
PL6*60	S235JRG2	48	120	0.0	0.2
			5760	0.6	11.8
PL8*60	S235JRG2	32	120	0.0	0.4
			3840	0.5	11.7
PL8*70	S235JRG2	16	130	0.0	0.4
PL8*70	S235JRG2	48	120	0.0	0.5
			7840	1.2	32.5

PL8*80	S235JRG2	40	283	0.1	1.4
			11320	2.0	56.9
PL8*146	S235JRG2	24	150	0.0	1.0
			3600	0.8	23.5
PL10*70	S235JRG2	48	320	0.1	1.8
PL10*70	S235JRG2	48	240	0.0	1.3
PL10*70	S235JRG2	24	120	0.0	0.7
			29760	4.9	163.5
PL10*80	S235JRG2	8	360	0.1	2.3
PL10*80	S235JRG2	4	230	0.0	1.4
PL10*80	S235JRG2	120	200	0.0	1.3
			27800	5.2	174.6
PL10*90	S235JRG2	24	250	0.0	1.3
			6000	0.9	30.1
PL10*95	S235JRG2	24	250	0.0	1.4
			6000	1.0	32.5
PL10*100	S235JRG2	192	200	0.0	1.6
PL10*100	S235JRG2	16	160	0.0	1.3
PL10*100	S235JRG2	14	260	0.1	2.0
PL10*100	S235JRG2	4	180	0.0	1.4
PL10*100	S235JRG2	4	120	0.0	0.9
PL10*100	S235JRG2	4	120	0.0	0.9
			46281	10.6	363.3
PL10*110	S235JRG2	16	120	0.0	1.0
			1920	0.5	16.6
PL10*236	S235JRG2	4	296	0.1	4.6
PL10*236	S235JRG2	2	665	0.3	12.0
PL10*236	S235JRG2	2	607	0.3	10.9
PL10*236	S235JRG2	2	382	0.1	5.1
PL10*236	S235JRG2	2	348	0.1	4.7
PL10*236	S235JRG2	2	290	0.1	4.4

PL10*236	S235JRG2	2	290	0.1	4.4
PL10*236	S235JRG2	2	281	0.1	3.9
			6909	3.0	109.3
PL10*237	S235JRG2	2	324	0.1	5.0
PL10*237	S235JRG2	2	322	0.1	5.0
PL10*237	S235JRG2	2	318	0.1	4.8
PL10*237	S235JRG2	2	316	0.1	4.8
PL10*237	S235JRG2	2	251	0.1	3.6
			3063	1.3	46.4
PL10*291	S235JRG2	2	373	0.2	8.0
			747	0.4	16.0
PL10*307	S235JRG2	2	326	0.2	5.6
			652	0.3	11.2
PL10*312	S235JRG2	2	373	0.2	8.4
			747	0.5	16.9
PL10*314	S235JRG2	2	352	0.2	6.2
PL10*314	S235JRG2	2	289	0.1	4.8
			1282	0.6	22.0
PL10*317	S235JRG2	2	373	0.2	8.8
			746	0.5	17.6
PL10*325	S235JRG2	2	307	0.1	5.3
			614	0.3	10.6
PL10*340	S235JRG2	2	373	0.2	9.2
			746	0.5	18.5
PL10*373	S235JRG2	2	546	0.4	15.2
PL10*373	S235JRG2	1	492	0.4	13.6
PL10*373	S235JRG2	1	492	0.4	13.5
			2076	1.5	57.5

PL20*300	S235JRG2	12	290	0.2	13.7
			3480	2.4	163.9
PL25*480	S235JRG2	6	480	0.5	45.2
			2880	3.1	271.3
ROD27	S235JRG2	48	1000	0.1	4.3
			48000	4.1	206.0
UNP160	S235JRG2	2	15290	8.3	288.1
UNP160	S235JRG2	2	7717	4.2	145.4
UNP160	S235JRG2	2	7651	4.2	144.1
UNP160	S235JRG2	2	1576	0.9	29.7
UNP160	S235JRG2	2	1559	0.9	29.4
UNP160	S235JRG2	2	1013	0.6	19.1
UNP160	S235JRG2	2	1004	0.5	18.9
UNP160	S235JRG2	2	920	0.5	17.3
UNP160	S235JRG2	2	863	0.5	16.3
			75187	41.1	1416.5
Ukupno sa 3%:					19430.0 kg