

PREGLED POSTUPKA #50335

1 PODACI O NARUČIOCU

Naziv naručioca	RADIO I TELEVIZIJA CRNE GORE
PIB	02020220
E-mail	tenderi@rtcg.org
Telefon	020/234-427
Internet adresa	www.rtcg.me
Fax	020/224-002
Adresa	Bulevar Revolucije 19
Grad	Podgorica
Poštanski broj	81000

2 OSNOVNI PODACI

Opis predmeta javne nabavke	Audio oprema za TV snimanje off ova
Status	U toku
Vrsta predmeta	Robe
Vrsta postupka	Jednostavna nabavka
Službenik za javne nabavke	Dijana Milačić
Kontakt	Dijana Milačić
Datum objave	07.08.2023. 12:00
Napomena	-

3 FAZE U POSTUPKU

Vrsta faze	Opis	Početak podnošenja	Kraj podnošenja	Datum otvaranja	Status
Zahtjev za podnošenje ponuda	Audio oprema za TV snimanje off ova	07.08.2023 12:00	11.08.2023 11:00	11.08.2023 11:00	U toku

4 DODATNE INFORMACIJE

Predmet javne nabavke se nabavlja	kao cjelina
Posebni oblici javne nabavke	
Okvirni sporazum	Ne
Dinamički sistem nabavki	Ne
Elektronska aukcija	Ne
Elektronski katalog	Ne
Nabavka se sprovodi kao	
Zajednička nabavka	Ne
Centralizovana nabavka	Ne

5 STAVKE PLANA

Godina	Opis	Vrijednost nabavke	Vrijednost PDV	Okvirni sporazum	Vrijednost OS	Vrijednost PDV OS	Vrsta postupka
2023	RADIO I TELEVIZIJA CRNE GORE Audio oprema za TV snimanje off-ova 32330000 - Aparati za snimanje i reprodukciju zvuka i slike 32350000 - Dijelovi zvučne opreme i videoopreme 32351000 - Pribor za zvučnu opremu i videoopremu	11.983,00 EUR	2.516,43 EUR	-	-	-	Jednostavna nabavka

6 USLOVI ZA UČEŠĆE U POSTUPKU I ZAHTJEVI U POGLEDU NAČINA IZVRŠAVANJA PREDMETA NABAVKE

Opis	Tip uslova / zahtjeva
Uz ponudu se dostavlja i izjava ponuđača o ispunjenosti uslova utvrđenih zahtjevom i nepostojanju sukoba interesa, potpisana od strane ovlašćenog lica ponuđača, koja se sačinjava na obrascu 2. (član 9 stav 10 Pravilnika o načinu sprovođenja jednostavnih nabavki ("Službeni list Crne Gore", br. 16/23, 20/23 i 36/23)).	Drugi uslovi
Rok važenja ponude je 60 dana od dana otvaranja ponuda.	Rok važenja ponude
Rok izvršenja ugovora, odnosno rok isporuke je 30 dana od dana zaključivanja ugovora.	Rok izvršenja ugovora
Mjesto izvršenja ugovora je magacin Naručioca, na adresi ul. Bulevar revolucije br.19, Podgorica.	Mjesto izvršenja ugovora
Rok plaćanja je u roku od 30 dana od dana izvršene isporuke, na osnovu Zapisnika o kvantitativno-kvalitativnom prijemu predmetne robe i uredno ispostavljene fakture.	Rok plaćanja
Način plaćanja je: na žiro račun Dobavljača. Žiro račun: _____ Banka: _____ (Ponuđač je obavezan navesti broj žiro računa i naziv banke).	Način plaćanja

Dokazivanje ekvivalentnosti - za stavke koje u dijelu "opis predmeta nabavke" imaju "naziv brenda ili ekvivalentno", u slučaju da ponuđač nudi ekvivalent on mora precizno navesti naziv ekvivalenta odnosno robnu marku i naziv drugog proizvođača. Naime, pored traženih proizvoda ponuđači mogu, shodno članu 88 Zakona o javnim nabavkama ("Službeni list Crne Gore" 011/23 od 27.01.2023.), ponuditi proizvode koji su ekvivalentni proizvodima navedenim u tehničkoj specifikaciji predmeta nabavke, koja je sastavni dio dokumentacije, uz podnošenje dokaza o ekvivalentnosti. Obzirom da je Zakonom o tehničkim zahtjevima za proizvode i ocjenjivanju usaglašenosti („Sl.list CG“, br. 53/11 i 33/14) propisano da se ekvivalentnost proizvoda (istovjetnost tehničkih zahtjeva za proizvode) dokazuje ispravama o usaglašenosti, ponuđači su dužni dostaviti dokaz - ispravu o usaglašenosti, odnosno deklaraciju proizvođača o usaglašenosti, u slučaju da ponuđač ne nudi proizvode tražene tehničkom specifikacijom predmeta nabavke. Kao dokaz ekvivalenta ponuđač je dužan dostaviti potvrdu ili tehnički list proizvođača ponuđene robe.

Drugi uslovi

7 KRITERIJUMI ZA IZBOR NAJPOVOLJNIJE PONUDE

Opis
Cijena

8 PREDMET NABAVKE

Procijenjena vrijednost nabavke: 11.983,00 EUR

TEHNIČKA SPECIFIKACIJA PREDMETA NABAVKE

	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina
		1. Mikrofonsko predpojačalo / kompresor sljedećih karakteristika: Frequency Response 30 Hz – 60 kHz +/- 1 dB balanced output, 20 Hz – 60 kHz +/- 1dB 1/4" output Total Harmonic Distortion <0.1% @ max gain CMMR > 60 dB @ max gain Equivalent Input Noise -128dBu typical ("A" wtd., Shorted XLR balanced input, gain @ max) Input Impedance 1M Ω 1/4" input, 5K Ω XLR input Input/Output Connections Input: XLR balanced or 1/4" balanced. Output: 1/4" unbalanced XLR balanced, transformer isolated. Maximum Gain +80 dB (balanced in-out, +64dB (unbalanced input, balanced output) Maximum Input Level unbalanced (Inst): +15 dBu, balanced (mic): +10 dBu Maximum Output Level +19 dBu (Line mode) Output Impedance XLR: <600 Ω, 1/4": <300 Ω Low Cut Filter -3 dB @ 70 Hz, 6dB/Octave Phantom Power Switch selectable, +48Volts DC, filtered, current limited Chassis Type All aluminum black anodized with integral	

rubber sides
Power Requirements 9VAC @ 1000mA (external)
Attack Time <1 ms (limit), 20 ms (comp.)
Release Time 150ms (fast), 20ms – 3s Program dependant (Auto)
Tube Type Hand selected 12AX7a
Compressor Slope 2:1 (Comp.) / 11:1 (Limit)
Dimensions 1.75"H x 5.9" W x 6.5" D (44.5mm x 150mm x 165mm)
Kao ART Tube MP/C ili ekvivalent

2. Dinamički Vokalni Mikrofon sa stonim "ruka" nosačem i potrebnim audio kablovima sljedećih karakteristika:

Dynamic Speaker and Recording Microphone
Polar pattern: Cardioid
Frequency range: 50 - 20,000 Hz
Sensitivity -59.0 dB (1.12 mV)
Bass roll-off switch
Mid-boost switch
Impedance: 150 ohms
Shielding against electromagnetic interference
Swivel mount
XLR connector
Includes switch cover plate and windscreen
Microphone Arm
Table microphone arm with cable guide
Cables up to 8 mm in diameter can be attached to the underside of the arms with a clip system
Aluminium construction
Locking centre joint

1	Komplet za snimanje audio zapisa / OFF-ova u kancelarijskim uslovima	3/8" Rhreaded connection with 5/8" adapter Table clamp up to 56 mm or table feed-through up to 45 mm (20 mm hole) Length upper arm: 43 cm Length lower arm: 43 cm Colour: Black Mikrofonski kabal: Cordial CTM 3 FM-BK Professional Microphone Cable Length: 3 m XLR female -> XLR male Neutrik connectors Colour: Black Kao Shure SM 7 B Podcast Bundle ili ekvivalent 3. 2-kanalni USB2.0 Audio Interfejs sa USB-C vezivanjem sljedećih karakteristika: 24 bit / 192 kHz 1x Scarlett microphone preamp +48 V phantom power Switchable air function 1 Mic input: XLR 1 Line/instrument input: 6.3 mm jack 2 Line outputs: 6.3 mm jack balanced Stereo headphone output: 6.3 mm jack USB-C connection For PC/Mac	7,00 komplet
---	--	---	--------------

USB bus-powered
Dimensions (W x H x D): 143.5 x 43.5 x 95.8 mm
Weight: 0.32 kg
Incl. USB cable (type C to A)
Integrisati sa besplatnim audio software-om Audacity
Kao Focusrite Scarlett Solo 3rd Gen ili ekvivalent

4. AIO PC radna stanica za snimanje off-ova
Procesor AMD Ryzen™ 5 7530U (6C / 12T, 2.0 / 4.5GHz, 3MB L2 / 16MB L3)
Memorija (RAM) 8GB (2x 4GB SO-DIMM DDR4-3200)
Integrated AMD Radeon Graphics
512GB SSD M.2 2280 PCIe® 4.0x4 NVMe®
23.8" FHD (1920x1080) IPS Anti-glare
Full HD 1920x1080
USB Keyboard, English (UK)
USB Mouse, Black
HD 720p kamera
Mikrofon: Dual
Ethernet: Integrated 100/1000M
WLAN + Bluetooth: 11ax, 2x2 + BT5.1
Priključci:
1x HDMI® 1.4
2x USB 2.0
2x USB 3.2 Gen 1
1x Ethernet (RJ-45)
1x power connector

5. Slušalice kao AKG K-72 ili ekvivalent

2	Materijali za akustičku obradu prostora	4 kompleta Vicoustic Cinema Round Premium Black 4 kompleta T.akustik nook set big 36 4 kompleta EQ Acoustics Classic Wedge 60 Tile grey 2 pakovanja t.akustik Contact Glue Liquid 4 kg ili ekvivalentnog ljepila koje ne razgradjuje gore navedene materijale, a služi za fiksiranje na betonske zidne površine premazane unutrašnjom zidnom bojom izrađenom na osnovi vodene disperzije polimernih veziva.	1,00 komplet
---	---	--	--------------