

PREGLED POSTUPKA #93059

1 PODACI O NARUČIOCU

Naziv naručioca	PARKING SERVIS BUDVA DOO
PIB	02382784
E-mail	parkingbudva@t-com.me
Telefon	033/402-492
Internet adresa	www.parkingservisbudva.com
Fax	033/402-496
Adresa	Meditranska(TQ Plaza, III sprat) bb
Grad	Budva
Poštanski broj	85310

2 OSNOVNI PODACI

Opis predmeta javne nabavke	Računari i računarska oprema
Status	U toku
Vrsta predmeta	Robe
Vrsta postupka	Jednostavna nabavka
Službenik za javne nabavke	Dragana Kentera
Kontakt	067/061840
Datum objave	02.06.2025. 14:00
Napomena	-

3 FAZE U POSTUPKU

Vrsta faze	Opis	Početak podnošenja	Kraj podnošenja	Datum otvaranja	Status
Zahtjev za podnošenje ponuda	Računari i računarska oprema	02.06.2025 14:00	06.06.2025 10:00	06.06.2025 10:00	U toku

4 DODATNE INFORMACIJE

Predmet javne nabavke se nabavlja	kao cjelina
Posebni oblici javne nabavke	
Okvirni sporazum	Ne
Dinamički sistem nabavki	Ne
Elektronska aukcija	Ne
Elektronski katalog	Ne
Nabavka se sprovodi kao	
Zajednička nabavka	Ne
Centralizovana nabavka	Ne

5 STAVKE PLANA

Godina	Opis	Vrijednost nabavke	Vrijednost PDV	Okvirni sporazum	Vrijednost OS	Vrijednost PDV OS	Vrsta postupka
2025	PARKING SERVIS BUDVA DOO Računari i računarska oprema 30200000 - Kompjuterska oprema i pribor 30213300 - Desktop kompjuteri 30237200 - Propratna oprema za kompjutere	19.000,00 EUR	3.990,00 EUR	-	-	-	Jednostavna nabavka

6 USLOVI ZA UČEŠĆE U POSTUPKU I ZAHTJEVI U POGLEDU NAČINA IZVRŠAVANJA PREDMETA NABAVKE

Opis	Tip uslova / zahtjeva
Izjava Ponuđača - Obrazac 2.	Obrazac 2
Rok važenja ponude je 60 dana od dana otvaranja ponuda.	Rok važenja ponude
Rok plaćanja: u roku od 30 dana od dana izvršene isporuke robe i dostavljene fakture	Rok plaćanja
Način plaćanja: na žiro račun. Žiro račun: _____ Banka: _____ (Ponuđač je obavezan navesti broj žiro računa i banke)	Način plaćanja
Mjesto isporuke: Na adresi naručioca - Ul. Mediteranska bb, TQ Plaza.	Mjesto izvršenja ugovora
Minimalan garantni rok na opremu je 24 mjeseca, (ponuđači su dužni da se u ponudi izjasne o garantnom roku koji nude na ponuđenu opremu). Svi garantni rokovi počinju teći od dana potpisivanja Zapisnika o primopredaji ugovorene opreme.	Garantni rok
Ponuđač je dužan da uz ponudu dostavi sertifikat ili drugu odgovarajuću potvrdom nadležnog organa ili organizacije o ispunjavanju uslova upavljanja kvalitetom (ISO 9001), upravljanja bezbjednošću informacija (ISO 27001) i Sistem menadžmenta životnom sredinom (ISO 14001)	Drugi uslovi
Garancija kvaliteta Za stavke 1 do 22 Potrebno je dostaviti pisano ovlaštenje (autorizacija) proizvođača ili distributera (zastupnika) proizvođača čiju opremu nudi, u kojem je navedeno da je ponuđač ovlašten da nudi opremu u predmetnom postupku javne nabavke. U slučaju dostavljanja ovlaštenja od distributera (zastupnika) neophodno je dostaviti i dokaz od proizvođača da je on ovlašćeni zastupnik za konkretnu nabavku	Drugi uslovi
Rok izvršenja ugovora je: sukcesivna isporuka u periodu od godinu dana ili do isteka sredstava	Rok izvršenja ugovora

7 KRITERIJUMI ZA IZBOR NAJPOVOLJNIJE PONUDE

Opis
Cijena

8 PREDMET NABAVKE

Procijenjena vrijednost nabavke: 19.000,00 EUR

TEHNIČKA SPECIFIKACIJA PREDMETA NABAVKE

	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina
1	Računar tip 1	Procesor minimum: 4 jezgara 8 niti, 3.3GHz, up to 4.3 GHz, 12 MB cache Grafika minimum: integrisana Integrisani portovi u kuciste pozadi minimum: 1x PS2, 2 x USB 3.2 tip A, 4 x USB 2.0, 1 x VGA, 1 x HDMI, 4 x serial port, 3 x audio Memorija minimum: 16GB DDR4 3200 Mhz Disk minimum: PCIe Gen3 x4 interface M.2 2280 512GB Kućište minimum: Midi tower, ATX, mATX, 5.25 "external x1, 3.5" internal. x2, 2.5 "internal x3, USB 2.0 x2, USB 3.0 x1 Napajanje minimum: Snaga: 500W Tastatura USB i mis USB Potrebno je da kuciste, napajanje, tastatura i mis budu istog proizvođača. Garancija minimum 2 godine	1,00 komad

2	Računar tip 2	Procesor minimum: 6 jezgara , 12 niti, 2.5 GHz, up to 4.4 GHz, 18 MB cache Grafika minimum: integrisana Integrisani portovi u kuciste pozadi minimum: 1x PS2, 2 x USB 3.2 tip A, 4 x USB 2.0, 1 x VGA, 1 x HDMI, 4 x serial port, 3 x audio Memorija minimum: 16GB DDR4 3200 Mhz Disk minimum: PCIe Gen3 x4 interface M.2 2280 512GB Kućište minimum: Midi tower, ATX, mATX, 5.25 "external x1, 3.5" internal. x2, 2.5 "internal x3, USB 2.0 x2, USB 3.0 x1 Napajanje minimum: Snaga: 500W Tastatura USB i mis USB Potrebno je da kuciste, napajanje, tastatura i mis budu istog proizvođača. Garancija minimum 2 godine	1,00 komad
---	---------------	--	------------

3	Računar tip 3	Procesor minimum: 12 jezgara 20 niti , up to 4.90 GHz 25 MB cache Grafika minimum: Bus Standard PCI Express 4.0 / Video Memory 8GB GDDR6 / OC mode : 2535 MHz Default mode : 2505 MHz (Boost) / CUDA Core 3072 / Memory Speed 17 Gbps / Memory Interface 128-bit/ 1 x Native HDMI 2.1a 3x Native DisplayPort 1.4a HDCP Support / Maximum Display Support 4 Integrirani portovi u kuciste pozadi minimum: 1x PS2, 2 x USB 3.2 tip A, 4 x USB 2.0, 1 x VGA, 1 x HDMI, 4 x serial port, 3 x audio Memorija minimum: 2x 16GB DDR4 3200 Mhz Disk minimum: PCIe Gen3 x4 interface M.2 2280 1 TB Kućište minimum : ATX/MATX/ITX, unutrašnji slotovi 3.5" x2, unutrašnji slotovi 2.5"x2, USB 2.0 x2, USB 3.0 x1, sa filterom za prašinu, cable management21mm, podrzava vodeno hladjenje, dimenzije 400*190*434mm, temperirano staklo, materijal: SPCC - MSC10026 Napajanje minimum: Snaga: 750W Gold Garancija minimum 2 godine	1,00 komad
---	---------------	---	------------

4	Monitor tip 1	Dijagonala 21,5" IPS Active Area 476.06 mm x 267.79 mm Razmak izmedju piksela 0.2480 mm x 0.2480 mm Piksela po inchu 102 Vrijeme odziva podrzano 4ms ili manje Integrisani portovi minimum HDMI, DP, VGA Integrisani zvucnici 2x 1,5W Tilt Angle (front/back) -5° / 22° Swivel Angle (left/right) 360° Lift Range 155 mm Pivot -90° / 90° Garancija minimum 2 godine	1,00 komad
5	Monitor tip 2	Dijagonala 24.5" IPS Refresh rate 100Hz Vrijeme odziva podrzano 1ms Osvjetljenje 300 cd/m2 Kontrast 1300:1 Active area 543.744(H) x 302.616(V) Razmak izmedju piksela (H X V) 0.2832(H) x 0.2802(V) Integrisani portovi minimum 1x HDMI, 1 x DP, 1 x headphone out Integrisani zvucnici minimum 2x2W Garancija minimum 2 godine	1,00 komad

6	Montor tip 3	Dijagonala 27" IPS Refresh rate 100Hz Vrijeme odziva podrzano 1ms Active area (MM) 597.888(H) x 336.312(V) Razmak izmedju piksela (H X V) 0.3114(H) x 0.3114(V) Integrisani portovi minimum 1x DisplayPort,1x HDMI, 1x D-Sub (VGA), 1x Line-in, 1x Headphone-out Integrisani zvucnici 2x 2W Garancija minimum 2 godine	1,00 komad
7	UPS Tip 1	Input Voltage Range (Vac) 167 ~ 295 Capacity (VA) 650 Capacity (Watts) 360 Izlazi minimum 3 x schuko Outlet(s) - Battery & Surge Protected 3 Typical Transfer Time (ms) 4 Surge Suppression (Joules) 150 EMI/RFI Filtration Da LED Indicators Power On, Line Mode, Battery Mode, Low Battery Audible Alarms Battery Mode, Low Battery, Overload, UPS Fault Runtime at 90W (min) Garancija minimum 2 godine	1,00 komad

8	UPS Tip 2	Input Voltage Range (Vac) 165 ~ 290 Capacity (VA) 1050 Capacity (Watts) 630 On Battery Waveform Simulated Sine Wave Automatic Voltage Regulation (AVR) Single Boost, Single Buck Overload Protection Internal Current Limiting, Circuit Breaker Outlet(s) – Total 4 Outlet Type Schuko x 4 Outlet(s) - Battery & Surge Protected 4 Typical Transfer Time (ms) 4 Runtime at 90W (min) 43 Surge Suppression (Joules) 150 EMI/RFI Filtration Yes Phone/Network Protection RJ11/RJ45 (Combo) 1-in, 1-out LED Indicators Power On, Line Mode, Battery Mode, Bypass Mode, Low Battery, Overload, UPS Fault HID Compliant USB Port(s) 1 Audible Alarms Battery Mode, Low Battery, Overload, UPS Fault Ethernet Data Transmission Speed Up to 1Gbps Power Management Software PowerPanel ili ekvivalentno Garancija minimum 2 godine	1,00 komad
---	-----------	---	------------

9	TV TIP 1	Dijagonala ekrana televizora: 55" (139cm) Ekran 4K Ultra HD LED Rezolucija panela 3840x2160 Procesor slike Pixel Precise Ultra HD Digitalni tjuneri DVB-T/T2/T2-HD/C/S/S2 Smart TV Operativni sistem: TITAN OS Smart TV funkcije Korisnička interakcija Preslikavanje ekrana Interaktivna televizija HbbTV Smart Home doživljaj: Podrška za Amazon Alexa Kompatibilan sa Google Assistant HDR: HLG, HDR10, HDR10+ kompatibilnost Zvuk Izlazna snaga (RMS) 20 W Konfiguracija zvučnika 2 zvučnika punog opsega od po 10 W Garancija minimum 2 godine	1,00 komad
---	----------	---	------------

10	TV TIP 2	Dijagonala ekrana televizora: 65" (165cm) Ekran 4K Ultra HD LED Rezolucija panela 3840x2160 Procesor slike Pixel Precise Ultra HD Digitalni tjuneri DVB-T/T2/T2-HD/C/S/S2 Smart TV Operativni sistem: TITAN OS Smart TV funkcije Korisnička interakcija Preslikavanje ekrana Interaktivna televizija HbbTV Smart Home doživljaj: Podrška za Amazon Alexa Kompatibilan sa Google Assistant HDR: HLG, HDR10, HDR10+ kompatibilnost Zvuk Izlazna snaga (RMS) 20 W Konfiguracija zvučnika 2 zvučnika punog opsega od po 10 W Garancija minimum 2 godine	1,00 komad
11	Barcode skener	Vrsta elementa skeniranja: CMOS, Dubina boje:32 bita, Tip pristupa: USB, Brzina skeniranja: 300 skeniranja / sek, Memorija:16 MB Garancija minimum 2 godine	1,00 komad
12	Mrezni kabl	UTP minimum 0.5m CAT6	1,00 komad
13	Mrezni kabl	UTP minimum 1m CAT6	1,00 komad
14	Mrezni kabl	UTP minimum 3m CAT6	1,00 komad
15	Mrežni kabal	UTP minimum 5m CAT6	1,00 komad
16	Mrežni kabal	UTP minimum 10m CAT6	1,00 komad
17	HDMI kabl	Minimum HDMI duzine 1.8m	1,00 komad
18	HDMI kabal	Minimum HDMI duzine 3m	1,00 komad

19	HDMI kabal	Minimum HDMI duzine 5m	1,00 komad
20	HDMI kabal	Minimum HDMI duzine 10m	1,00 komad
21	Napajanje	Minimum 500W	1,00 komad
22	Tastatura	Žična USB Dodatne tipke multimedija Boja Crna Dužina kabla minimum 1.5m	1,00 komad
23	Mrežni switch tip 1	5 x Gigabit Ethernet LAN ports 1 x power connector Standards IEEE 802.3 10BASE-T Ethernet IEEE 802.3u 100BASE-TX Fast Ethernet IEEE 802.3ab 1000BASE-T Gigabit Ethernet ANSI/IEEE 802.3 NWay auto-negotiation IEEE 802.3x Flow Control IEEE 802.3az Energy-Efficient Ethernet (EEE)	1,00 komad
24	Mrežni switch tip 2	8 x Gigabit Ethernet LAN ports 1 x power connector Standards IEEE 802.3 10BASE-T Ethernet IEEE 802.3u 100BASE-TX Fast Ethernet IEEE 802.3ab 1000BASE-T Gigabit Ethernet ANSI/IEEE 802.3 NWay auto-negotiation IEEE 802.3x Flow Control IEEE 802.3az Energy-Efficient Ethernet (EEE)	1,00 komad

25	Mrežni switch tip 3	24 x 10/100/1000 Mbps LAN ports 1 x power connector Standards IEEE 802.3 10BASE-T IEEE 802.3u 100BASE-TX IEEE 802.3ab 1000BASE-T IEEE 802.3x Flow Control IEEE 802.1p QoS IEEE 802.3az Energy-Efficient Ethernet (EEE)	1,00 komad
26	Serijski adapter	Priključci na jednoj strani Serijski 9pin (muški) Priključci na drugoj strani USB 2.0 tip A (muški)	1,00 komad
27	Kartica PCI-Express	PCI-Express card sa 4 serijska porta 250 kbps DB9 M	1,00 komad
28	Ram memorija tip 1	DDR4 8GB 3200MHz za desktop	1,00 komad
29	Ram memorija tip 2	DDR4 16GB 3200MHz za desktop	1,00 komad
30	SSD Tip 1	Kapacitet: 240GB SATA 500MB/s read, 350MB/s write	1,00 komad
31	SSD TIP 2	Kapacitet: 480GB SATA 500MB/s read, 450MB/s write	1,00 komad
32	SSD Tip 3	Kapacitet: 960GB SATA 500MB/s read, 450MB/s write	1,00 komad